

II. CLAIM AMENDMENTS

1. (currently amended) A method for reading text on hypertext pages, in which ~~method~~-received pages are decoded and a certain reading portion of a page, indicated by a cursor, is enlarged onto a display used as an output device, wherein shift commands are defined in order to use the method, the method comprising ~~the steps of~~:

- preprocessing the pages in order to display the text portion in them,
- dividing the display into a navigation pane and a read pane;
- placing an overall view of at least one decoded page to the navigation pane;
- searching the text, based on language specific rules, for a start element and end element,
- selecting the text portion between the start element and end element as the reading portion and placing the selected portion on the read pane, and
- searching for a new start element and end element if a shift command is received.

2. (original) A method according to claim 1, said start element being a punctuation mark preceding a sentence.

3. (original) A method according to claim 1, said end element being one of the following: a space character

following a punctuation mark, a line feed character, characters constituting a preposition.

4. (original) A method according to claim 1, said shift commands including:

- one step forward,
- one step back,
- to the beginning of next paragraph,
- back to the beginning of paragraph,
- to the beginning of next title, and
- to the beginning of preceding title.

5. (original) A method according to claim 4, a corresponding new start element being respectively:

- the character preceding the current end element,
- the preceding start element,
- the character preceding the first character in the next paragraph,
- the first preceding line feed character,
- the character preceding the first character in the next title, and
- the character preceding the first character in the preceding title.

6. (original) A method according to claim 1, a maximum length of said reading portion being a selectable parameter.

7. (original) An arrangement for reading text on hypertext pages, the arrangement comprising a display and means for decoding a received page, for selecting a certain reading portion from the said page, and for enlarging the reading portion onto the said display,

- the arrangement further comprising a means for dividing the display into a navigation pane and read pane and for bringing an overall view of the received pages in the navigation pane,

- said means for selecting the reading portion comprising a program arranged to find a start and end point for the reading portion on the basis of rules of a selected language and to change reading portions according to user commands, and

- said means for enlarging the reading portion comprising said read pane.

8. (original) An arrangement according to claim 7, further comprising at least two keys for entering said user commands.

9. (original) An arrangement according to claim 7, said overall view comprising a text contents of an individual hypertext page.

10. (original) An arrangement according to claim 7, said overall view comprising selected portions of text contents of hypertext pages, which portions are selected according to certain criteria.

11. (original) An arrangement according to claim 10, said portions selected according to the certain criteria being text titles.

12. (original) An arrangement according to claim 7, said program, which searches a start and end point for the reading portion based on rules of written language, comprises as a selectable parameter the language to be used.

13. (original) An arrangement according to claim 7, further comprising a cursor movable in the said navigation pane in order to select a start point for the text to be read.

14. (currently amended) A device comprising a display, a keyboard and a means for receiving, decoding and displaying hypertext pages requested from servers connected with the Internet, the mobile phone further comprising:

- a means for dividing the said display into a navigation pane and read pane,
- a means for bringing an overall view of the received pages in the navigation pane, and
- a program arranged to search on the basis of rules of written language a start and end point in the text received, to bring the text located between these points into the said read pane, and to change the text brought into the read pane on the basis of user commands.

15. (New) A software for reading text on hypertext pages, comprising a program arranged to decode received pages and to enlarge a certain reading portion of a page, indicated

by a cursor, onto a display used as an output device, and defined shift commands, the software further comprising:

- a program arranged to preprocess the pages in order to display the text portion in them,
- a program arranged to divide the display into a navigation pane and read pane,
- a program arranged to place an overall view of at least one decoded page to the navigation pane,
- a program arranged to search the text, based on language specific rules, for a start element and end element,
- a program arranged to select the text portion between the start element and end element as the reading portion and to place the selected portion to the read pane, and
- a program arranged to search for a new start element and end element for if a shift command is received.